Receiving Repor	R	ec	eiv	ina	Re	po	r
-----------------	---	----	-----	-----	----	----	---

Da	ite: 16-8-	<u> </u>		Batch No:	m	3539	10
Su	pplier: <u>HUIA</u>			Dart P/O:	_33	032	
Packing Slip: Invoice: Receipt: New Supplier	Yes No No Cash Cr No		Waybill At	Complete: pection	Yes	No No No	N/A N/A N/A
Discrepancies		Quantity	Quantity	Quantity	Quantity	Quantity	Comment / NCR
Part Number	Description	Ordered	Rec'd	Short	Inspected	Rejected	Number
	~						
			1	Initials of	Receiver	QC12	20
Production/Adn Date Received/Costi Initial						Location	l



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7 Tel: 613 632 9577

Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO33032

Purchase Order Date 7/14/2016 PO Print Date 7/15/2016

Page Number 1 of 7

Order From:

AVIALL

PO BOX 842275

DALLAS, TX 75284-2275 USA

VU-AVI003

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

REJISED \$ QUY.

Contact Name

Vendor Phone

905-676-1695

Buyer **Customer POID** Chantal Lavoie

Customer Tax #

10127-2607

Ship To Contact

Terms Currency Net 30 USD

Ship To Phone Ship Via:

FedEx Overnight collect

FOB

EXW - (Ex Works)

Ship Acct:

Reference Line Nbr Vendor Part Number **Line Comments Delivery Comment**

Description/ Mfg ID

Taxable **Promise Date**

7/20/2016

Req Date/

CD

Req Qty/ Unit of Measure PO Unit Price

Extended Price

Bolt

7/20/2016 FN Yes

Each

100.00

\$0.11

Bolt

7/20/2016 FN

7/20/2016

Yes

400.00 Each

Line Total:

Line Total:

P16-8-4.

\$0.18

\$72.00

\$11.00

Bolt

7/20/2016 FN Yes

7/20/2016

100.00 Each

\$0.20

PO Instructions: Fedex Acc#151793240

Note:



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053-

PURCHASE ORDER

Purchase Order ID PO33032

_Purchase Order Date-7/14/2016 PO Print Date 7/15/2016

Page Number 2 of 7

Order From:

AVIALL

PO BOX 842275

DALLAS, TX 75284-2275 **USA**

VU-AVI003

DART AEROSPACE LTD Ship To:

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Contact Name

Vendor Phone

905-676-1695

Customer POID

Chantal Lavoie

Ship To Contact

Ship To Phone

Customer Tax #

Terms

10127-2607 Net 30

Currency

Buyer

USD

FOB

EXW - (Ex Works)

Ship Acct:

Ship Via:

BOLT

FedEx Overnight collect

7/20/2016 FN

200.00

Line Total:

Line Total:

\$20,00

7/20/2016

Yes

Each

\$0.13

\$26.00

7/20/2016

50.00 Each

\$26.00

Bolt

Yes 7/20/2016

\$0.72

Bolt

7/20/2016

50.00 Each Line Total:

\$36.00

\$0.25

Yes 7/20/2016

P/16-8-4

\$12.50

PO Instructions: Fedex Acc#151793240

Note:



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7 Tel: 613 632 9577

Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO33032

Purchase Order Date 7/14/2016 PO Print Date 7/15/2016

Page Number 3 of 7

Order From:

AVIALL

PO BOX 842275

DALLAS, TX 75284-2275 **USA**

VU-AVI003

DART AEROSPACE LTD Ship To:

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Contact Name Vendor Phone Ship To Contact

905-676-1695

Ship To Phone

FedEx Overnight collect

Ship Via: Ship Acct:

AN6-35A

BOLT

7/20/2016 Yes 7/20/2016

Buyer **Customer POID**

Customer Tax#

Terms Currency

FOB

Chantal Lavoie

10127-2607

Net 30 USD

EXW - (Ex Works)

30.00 Each

\$1.10

Washer

Nut

7/20/2016 FN Yes

7/20/2016

7/20/2016 FN Yes

7/20/2016

50.00 Each

Each

\$0.06

\$33.00

Line Total: 300.00

\$0.42

\$126.00

\$3.00

MS24665-136

Cotter Pins

7/20/2016 Yes

7/20/2016

200.00 Each Line Total:

Line Total:

\$126.00

\$0.02

PO Instructions: Fedex Acc#151793240

Note:

>16-8-4



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7 Tel: 613 632 9577

Fax: 613-632 1053

PURCHASE ORDER

Purchase Order ID PO33032

---Purchase Order Date 7/14/2016 PO Print Date 7/15/2016

Page Number 4 of 7

Order From:

AVIALL

PO BOX 842275

DALLAS, TX 75284-2275 USA .

VU-AVI003

DART AEROSPACE LTD Ship To:

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Contact Name

Vendor Phone

905-676-1695

Chantal Lavoie Buyer

Customer POID

Customer Tax # Terms

10127-2607 Net 30 USD

Currency **FOB**

EXW - (Ex Works)

Ship To Contact

Ship To Phone

Ship Via:

FedEx Overnight collect

Ship Acct:

NAS1149C0532R

WASHER

7/20/2016

Yes 7/20/2016

200.00 Each Line Total:

\$0.04

\$4.00

7/20/2016 FN

Yes 7/20/2016

1,600.00 Each

Line Total:

\$0.03

\$48.00

\$8,60

71400-11

PS890-B2 PRO SEAL

(PINT SIZE)

7/20/2016

Yes

16.00

Line Total:

\$48.00

\$68.64

62.41% shelf life acceptable

7/20/2016

Each

\$1,098.24

Deliver To: ANDY

PO Instructions: Fedex Acc#151793240

Note:

Line Total: D16-8-4 \$1,098.24



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO33032

Purchase Order Date 7/14/2016 PO Print Date 7/15/2016

Page Number 6 of 7

Order From:

AVIALL

PO BOX 842275

DALLAS, TX 75284-2275 **USA**

VU-AVI003

DART AEROSPACE LTD Ship To:

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Contact Name

Vendor Phone

905-676-1695

Customer POID

Chantal Lavoie

Customer Tax # Terms

10127-2607 Net 30

Currency

USD

FOB

Buyer

EXW - (Ex Works)

Ship To Contact Ship To Phone

Ship Via:

FedEx Overnight collect

Ship Acct:

AN4C10A

BOLT

7/20/2016 Yes

7/20/2016

10.00 Each Line Total:

\$0.60

\$6.00

\$9.40

BOLT

7/20/2016

7/20/2016

Yes

30.00 Each

Line Total:

\$6.00

\$0.64

Line Total:

P168-4.

\$19.20

PO Instructions: Fedex Acc#151793240

Note:



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO33032

Purchase Order Date 7/14/2016 PO Print Date 7/15/2016

Page Number 7 of 7

Order From:

AVIALL

PO BOX 842275

DALLAS, TX 75284-2275 **USA**

VU-AVI003

DART AEROSPACE LTD Ship To:

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Contact Name

Vendor Phone

905-676-1695

Customer POID

Chantal Lavoie

Customer Tax#

10127-2607 Net 30

USD

Ship To Contact Ship To Phone

FedEx Overnight collect

Terms Currency **FOB**

Buyer

EXW - (Ex Works)

Ship Via: Ship Acct:

PROCUREMENT

7/20/2016

71401-45

21

QUALITY CLAUSES

No

7/20/2016

Procurement Quality Clauses

A005 RIGHT OF ENTRY

A012 CHEMICAL AND PHYSICAL TEST REPORTS

A015 SHELF LIFE CONTROLLED MATERIAL, 60%

A016 PERSONNEL QUALIFICATION

A026 CERTIFICATION OF MATERIAL CONFORMANCE

A032 PUBLIC LAW 101-592 FASTENER QUALITY ACT A033 STATEMENT OF CONFORMITY/TEST RECORDS

FOR NAS, AN and MS FASTENERS A040 NOTIFICATION OF QUALITY ESCAPE

A041 QUALITY MANAGEMENT SYSTEM

A043 RETENTION OF QUALITY DOCUMENT

\$0.00

\$0.00

£16-8-4

Line Total:

\$0.00

PO Total:

\$1,554.74

PO Instructions: Fedex Acc#151793240

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100

requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr:

3

Change Date:

7/15/2016



Ò

BOX CONTENT LIST

0

ODO: 310004653055

PAGE: 1 of 2 **DATE:** 08/02/2016

TIME: 20:08:54

Handling Unit: 110000000495447843

Packed at WorkCenter: SI08

CUSTOMER PO:PO33032 ORDER NUMBER:8003398275

CU10003951 DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA

CU10003951 DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA

ROUTE: FDXIPA

R 0

AVIALL CENTRAL WAREHOUSE DALLAS CDC PO Box 619048 DFW AIRPORT TX 75261

LINE	PO LINE MFG	ITEM DESCRIPTION	ORDER QUANTITY	SHIP QUANTITY		UOM				
00020	28	AN4-13A=28 ✓ BOLT: HEX HD,ST	400	400		EA			, 	
00050	28	AN3C13A=28 BOLT: HEX HD,SS	50	50		EA				
	BATCH 7363988			50						
00070	28	AN6-35A=28 BOLT: HEX HD,ST	30	30		EA			•	
	BATCH 7364213	3002 Exp Date: /	,	30						
00130	5N	PS890B2PT=5N KIT: SEALANT,FUEL TANK,P1	16	16		EA			1	
	BATCH 736422			16	. /	/				
00150	28	MS35489-19=28 GROMMET: RUBBER,BLK	20	16 20		EA				
	BATCH 736417		1/2020	20					ļ	
00160	28	AN5-15A=28 BOLT: HEX HD,ST	40	40		EA	•			
								$\int M_0$	SY.	
			Thia	is not ar	invoi	00				
			11115	12 1101 gl	1111001	CC.		1/1		
		Ear nove	nant proc	occina i	alosco	rafar to	Invoice		1	

This is not an invoice. For payment processing, please refer to Invoice.

The recipient of these goods agrees to comply with all export regulations governing the transfer, sale, lease or use of these goods. Diversion contrary to U.S. Law is prohibited.

CERTIFICATE OF CONFORMANCE

It is hereby certified that Aviall Services, Inc., is an approved distributor and meets all requirements of ISO9001, AS9100, AS9120 and AC 00-56 at 2750 Regent Blvd. DFW Airport, Texas. The products, articles or parts referenced on this document are in new or overhauled condition and were purchased from an approved source (FAA, EASA, TCCA, Mil Spec or Commercial). The Original Manufacturers' Certifications are maintained on file at our central office location, and copies are available upon request or at Aviall.com. For overhauled or repaired products, articles or parts, the original FAA 8130-3 / EASA Form 1 (Return to Service) or Yellow Tag, from the FAA/JAA/EASA approved Air Agency are attached to the component.

DISCOUNT TERMS APPLY ONLY TO SUB TOTAL. ALL RETURNED MERCHANDISE SUBJECT TO HANDLING

THIS IS TO CERTIFY THAT AVIALL HAS COMPLIED WITH THE PROVISIONS OF THE FAIR LABOR ACT OF 1938 AMENDED.

CUSTOMER COPY

JR Hofmann, Director, Global Quality

08/02/2016



0

BOX CONTENT LIST

Ó

ODO: 310004653055

ROUTE: FDXIPA

PAGE: 2 of 2 **DATE:** 08/02/2016

TIME: 20:08:54

Handling Unit: 110000000495447843

Packed at WorkCenter: SI08

CU10003951 DART AEROSPACE LTD 1270 ABERDEEN STREET

CUSTOMER PO:PO33032

ORDER NUMBER:8003398275

HAWKESBURY ON K6A 1K7 CANADA

CU10003951 DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA

RO

AVIALL CENTRAL WAREHOUSE DALLAS CDC PO Box 619048 DFW AIRPORT TX 75261 USA

LINE	PO LINE MFG	ITEM DESCRIPTION	ORDER QUANTITY	SHIP QUANTITY	UOM		
00180	28 AN BO	4C10A=28 LT: HEX HD,SS	10	10	EA		
	BATCH 7364253336			10			
00190	28 AN BC	J4C13A=28 DLT: HEX HD,SS	30	30	EA		
	BATCH 7364304934	Exp Date:		30			
	BATCH 7364212938	Exp Date:		50			
	BATCH 7364278729	Exp Date:		350			
	BATCH 7364181079	Exp Date:		40			

Q16-8-4.

This is not an invoice. For payment processing, please refer to Invoice.

The recipient of these goods agrees to comply with all export regulations governing the transfer, sale, lease or use of these goods. Diversion contrary to U.S. Law is prohibited.

CERTIFICATE OF CONFORMANCE

It is hereby certified that Aviall Services, Inc., is an approved distributor and meets all requirements of ISO9001, AS9120 and AC 00-56 at 2750 Regent Blvd. DFW Airport, Texas. The products, articles or parts referenced on this document are in new or overhauled condition and were purchased from an approved source (FAA, EASA, TCCA, Mil Spec or Commercial). The Original Manufacturers' Certifications are maintained on file at our central office location, and copies are available upon request or at Aviall.com. For overhauled or repaired products, articles or parts, the original FAA 8130-3 / EASA Form 1 (Return to Service) or Yellow Tag, from the FAA/JAA/EASA approved Air Agency are attached to the component.

DISCOUNT TERMS APPLY ONLY TO SUB TOTAL. ALL RETURNED MERCHANDISE SUBJECT TO HANDLING

THIS IS TO CERTIFY THAT AVIALL HAS COMPLIED WITH THE PROVISIONS OF THE FAIR LABOR ACT OF 1938 AMENDED.

CUSTOMER COPY

JR Hofmann, Director, Global Quality

AV20 RS-06

08/02/2016



Ó

PACKING LIST



DELIVERY NUMBER: 8003398272

ROUTE: CA FedEx Priority Overnight

0

PAGE:1 of 3 DATE:02AUG16 **TIME:**11:47:28 EMP:00027136

ORD TYP: ZOR 132 **CURRENCY: USD**

TERMS: Net 30

CUSTOMER PO:PO33032 **ORDER NUMBER:**1002354820 **ORDER DATE:**02AUG16

10003951 DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA

10003951 DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA

Ò

AVIALL TORONTO CSC TORONTO SALES OFFICE UNIT 2-7425 TRANMERE DRIVE MISSISSAUGA ON L5S 1L4 CANADA R

LINE	PO LINE	MFG	ITEM DESCRIPTION	ORDER QUANTITY	SHIP QUANTITY	QUANTITY BACK ORDER	UOM	CUSTOMER PRICE	EXTENDED CUSTOMER PRICE
00010	0	28	AN3-11A BOLT: HEX HP;ST	100	100	0	EA	0.11	11.00
00020	BATCH 0	7364191 28	AN4-14A BOLT: HEX HD,ST	100	100	1 /	EA	0.20	20.00
100030	BATCH BATCH 0		,	200		0,/	EA	0.13	26.00
100040	BATCH 0	7364029 28	9352 AN5-10A BOLT: HEX HD,ST	50	20 5		EA .	0.25	12.50
)00050	BATCH 0	7364129 28	9876 AN970-4 WASHER: FLT,ST,	50		0	EA	0.06	3.00
)00060	BATCH 0	736420° 28	7588 MS21043-4	300	J 5	00 0	EA	0.42	2 /126.00

This is not an Invoice. For payment processing, please refer to Invoice.

DISCOUNT TERMS APPLY ONLY TO SUB TOTAL

EF	ITIF	ICATE OF	CONFORMANCE	CERTIFICAT D	DE CONFORMITE
----	------	----------	-------------	--------------	---------------

I hereby certify that the aircraft parts appliances and/or aircraft materials described hereon were acquired from a source of supply that is consistent with the conditions under which the department of transport distributor approval number 35-86 has been granted. Je certifle par la par la presente que les pieces apparells et/ou materiaux d'avions decrits ci-dessus ont ete acquals d'une source d approvisionnement consistante avec les conditions sous lesquellies l'approbation du distruteur du department du transport no. 35-86 ont ete recue.

Rick Rantz, DSM

02AUG16

ESCOMPTE APPLIQUES SUR SOUS TOTAL SEULEMENT. ALL RETURNED MERCHANDISE SUBJECT TO A HANDLING FEE. FRAIS DE MANUTENTION ÀPPLIQUES SUR TOUTE MARCHANDISE RETOURNEE.

CUSTOMER COPY

AV20 RS-06



Ò

PACKING LIST

0



DELIVERY NUMBER: 8003398272

ROUTE: CA FedEx Priority Overnight

M

PAGE:2 of 3 DATE:02AUG16 TIME:11:47:28 EMP:00027136

ORD TYP: ZOR 132 CURRENCY:USD

TERMS:Net 30

CUSTOMER PO:PO33032
ORDER NUMBER:1002354820
ORDER DATE:02AUG16

10003951 DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA 10003951 DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA S 1501 H AVIALL TORONTO CSC I TORONTO SALES OFFICE P UNIT 2-7425 TRANMERE DRIVE MISSISSAUGA ON L5S 1L4 F CANADA R

LINE	PO LINE	MFG	ITEM DESCRIPTION	ORDER QUANTITY	SHIP QUANTITY	QUANTITY BACK ORDER	иом	CUSTOMER PRICE	EXTENDED CUSTOMER PRICE
			NUT: SELF-LKG,CRES					 	
	BATCH	7364154	737 /		100	/			
	BATCH	7364246	/		200	,			/
00070	0	28	MS24665-136 PIN: COTTER,ST	200	200		D EA	0.02	4.00
	BATCH	7364173	500 /		200				
08000	0	28	NAS1149C0532R V WASHER: FLT,ST /	200	200		0 EA	0.04	. 800
	BATCH	7364124	312 /		200				
00090	0	28	NAS1149D0463J WASHER: FLT,AL	1,600	1,600		0 EA	0.03	3 ₹ (48.00
	BATCH	7364168	523		1,600) /			. /
100100	0	28	AN525-832R6 SCREW: WASHER/HD,ST	100	100		0 EA	0.06	6.00
)00110	BATCH 0	7364304 28	AN3-35A \/	20	100 20	,	0 EA	0.47	7 \ \ 9.40
			BOLT: HEX HD,ST						

This is not an Invoice. For payment processing, please refer to Invoice.

€.	5016-8-4
DISCOUNT	TERMS APPLY ONLY TO SUB TOTAL

ERTIFICATE OF CONFORMANCE / CERTIFICAT DE CONFORM

I hereby certify that the aircraft parts appliances and/or aircraft materials described hereon were acquired from a source of supply that is consistent with the conditions under which the department of transport distributor approval number 35-86 has been granted. Je certifle par la par la presente que les pieces apparells et/ou materiaux d'avions decrits ci-dessus ont ete acquals d'une source d approvisionnement consistante avec les conditions sous lesquellies l'approbation du distruteur du department du transport no. 35-86 ont ete recue.



02AUG16 Date ESCOMPTE APPLIQUES SUR SOUS TOTAL SEULEMENT.
ALL RETURNED MERCHANDISE SUBJECT TO A
HANDLING FEE. FRAIS DE MANUTENTION APPLIQUES
SUR TOUTE MARCHANDISE RETOURNEE.

CUSTOMER COPY

AV20 RS-06

Rick Rantz, DSM



Ò

PACKING LIST PACKING LIST

Ò





DELIVERY NUMBER: 8003398272

ROUTE: CA FedEx Priority Overnight

PAGE:1 of 2

PAGE:3 of 3 DATE:02AUG16 TIME:11:47:28 EMP:00027136 ORD TYP: ZOR 132 **CURRENCY: USD**

TERMS:Net 30

CUSTOMER PO:PO33032 **ORDER NUMBER:**1002354820 **ORDER DATE:**02AUG16

10003951 DART AEROSPACE LTD 1270 ABERDEEN STREET CANADA

HAWKESBURY ON K6A 1K7

10003951 DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA

AVIALL TORONTO CSC TORONTO SALES OFFICE UNIT 2-7425 TRANMERE DRIVE MISSISSAUGA ON L5S 1L4 CANADA R O M

LINE	PO LINE	MFG	ITEM DESCRIPTION	ORDER QUANTITY	SHIP QUANTITY	QUANTITY BACK ORDER	UOM	CUSTOMER PRICE	EXTENDED CUSTOMER PRICE	
	BATCH 7364240207 20									

This is not an Invoice.

For payment processing, please refer to Invoice.

CERTIFICATE OF CONFORMANCE / CERTIFICAT DE CONFORMITE

I hereby certify that the aircraft parts appliances and/or aircraft materials described hereon were acquired from a source of supply that is consistent with the conditions under which the department of transport distributor approval number 35-86 has been granted. Je certifle par la par la presente que les pieces apparells et/ou materiaux d'avions decrits ci-dessus ont ete acquals d'une source d approvisionnement consistante avec les conditions sous lesquellies l'approbation du distruteur du department du transport no. 35-86 ont ete recue.

02AUG16

DISCOUNT TERMS APPLY ONLY TO SUB TOTAL ESCOMPTE APPLIQUES SUR SOUS TOTAL SEULEMENT. ALL RETURNED MERCHANDISE SUBJECT TO A HANDLING FEE. FRAIS DE MANUTENTION APPLIQUES SUR TOUTE MARCHANDISE RETOURNEE.

CUSTOMER COPY

AV20 RS-06

Rick Rantz, DSM



A BOFING COMPANY

Delivery Number	Commercial Invoice Number		
8003398275	9304205590	¥	

Item	γ Part Number & Description	Country of Origin	Quantity	ŲОМ	Unit Price	Extended Value
		of Origin		/	USD	USD
150	MS35489-19 - GROMMET: RUBBER,BLK Harmonized Tariff: 4016996000 Export Classification: 9A991.d Authorization: NLRAT_AUG_2016	US	20	EA	0.18	3.60
	Sales Order: 1002354820 PO: PO33032 Batch Number: 7364172559			/		
_	AN5-15A - BOLT: HEX HD,ST Harmonized Tariff: 7318152000 Export Classification: 9A991.d Authorization: NLRAT_AUG_2016 Sales Order: 1002354820 PO: PO33032	US	40	EA 1	0.32	12.80
180	AN4C10A - BOLT: HEX HD,SS Harmonized Tariff: 7318152000 Export Classification: EAR99 Authorization: NLRAT_AUG_2016 Sales Order: 1002354820 PO: PO33032 Balch Number: 7364253336	us	10	EA	0.60	6,00
190	MAC13A - BOLT: HEX HD,SS Harmonized Tariff: 7318152000 Export Classification: EAR99 Authorization: NLRAT_AUG_2016 Sales Order: 1002354820 PO: PO33032 Batch Number: 7364304934	US	30	EA	0.64	7 ⁹ .20

Gross Value	1,280.84
Add on Charges	1
Tax Value	
Freight Charges	
Total Net Value	1,280.84

FOR CUSTOMS PURPOSES ONLY **NOT A BILLING INVOICE**

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US laws is prohibited.

50168-4

: :							Advantage and the Address of the con-		 Control of the Control of the Control	Appendix and a second contract of the contract	i.
			CUST PO N	and the state of t			61 1 0	SO NO		CUST PO NO	SONO.
		B FI	ROM: POOR	S CADWATED LOOP		FROM:	PRO CLEADWAT	ERLOOD		FROM:	1000
s.	itari etrinis :	BILU INUL	JSTRIES, INC. POS	T FALLS, ID 83654 -		BILD INDUSTRIES, INC	POST FALLS 1	D83854 S	er e de la come él LD l	NDUSTRIES, INC. POST FALLS, ID	33884
H TO	AV:	ALL SERVI ALL CENTR TO REGENT I AIRPORT	AL VAREHO BOULEVARD		T AVIALL	SERVICES, I CENTRAL WAR EGENT BOULEV RPORT	EHDUSE	61.	AVIALL SERV AVIALL CENT 2750 REGENT DFW AIRPORT	RAL WAREHOUSE BOULEVARD	
		CUSTOMER BIL	L TO ADDRESS		COMPLETE CUSTOMER PO	NO. BILL TO NO SF	IP TO NO. PAG			SELECTION OF SELEC	
			T. 048°	752619048	BUYER NAME & PHONE N		51007 NS	公本地	KING SI IMMED	IP IATELY	
LINE	LOC	QTY ORDERED	TOTAL OTY SHIPPED THIS ORDER	LOT 848	73/75193	CUST. PO NO.	CUST. NO.	DESCRIPTION			
1		450	450	UAN6-35	iA	0045390110	AS1007	BOL.T	bx12-13=31		i day
LINE	LOC	OTY ORDERED	TOTAL OTY SHIPPED THIS ORDER	LOT		CUST. PO NO.	CUST. NO.	DESCRIPTION	"在新疆外 "	3 ≥ _	
2		1.	1	C S/C MA	NUFACTURE CER	T 00453%0110	AS1007	CERTIFIC	ATION	DMCEVOY 03/16/16	10
LINE	LOC	QTY ORDERED	TOTAL CITY SHIPPED THIS ORDER	LOT	J\$* 1	CUST. PONO.	CUST, NO.	DESCRIPTION			4.25
] 3		1.		C COUNT	RY OF ORIGIN	0045390110	ASIQ07		are every a		
LINE	LOC	QTY ORDERED	TOTAL OTY SHIPPED THIS ORDER	LOT		CUST. PO NO.	CUST. NO.	DESCRIPTION	The state of the s		
-			and the state of the state of the state of							20	
LINE	LOC	_OTY.ORDERED	TOTAL OTY SHIPPED THIS ORDER	LOT		CUST, PO NO.	-CUST-NO.	-DESCRIPTION-			
-		i di man agana and an an an									
LINE	LOC	OTY ORDERED	TOTAL OTY SHIPPED THIS ORDER	LOT		CUST. PO (O.	CUST. NO.	. DESCRIPTION			
							1				
LINE	LOC	QTY ORDERED	TOTAL OTY SHIPPED THIS ORDER	LOT		CUST. PO NO.	CUST, NO.	DESCRIPTION			
			•							. 雅 【	
LINE	LOC	QTY ORDERED	TOTAL OTY SHIPPED THIS ORDER	LOT		CUST. PO NO.	CUST. NO.	DESCRIPTION	建 国民任务		
<u> </u>											制道
				IDED ON THIS PACE	ING LIST IS IN CONFORMANO CAGE CODE 31222	I WAR D UTZUD		ONTROL MANAGER			
3	ТОТА	L WT NO CT	TNS PC	= PARTIAL = COMPLETE C = CONSIDER COMPI X = CANCEL			E SHIPPED SH	IPPED VIA		SIGNATURE MERCHANDISE R	ECEIVED .

ASC INDUSTRIES

D 1227 CORPORATE DRIVE WEST

SOLD TO: 935810-14
AVIALL
ACCOUNTS PAYABLE ©P O BOX 619048

COO: U.S.A.

50 | 7364172559 | Qty: 20 | CPO: PO33032

SHIP TO:

ASC INDUSTRIES

1225 CORPORATE DRIVE WEST

ARLINGTON, TEXAS 76006

AVIALL CENTRAL WAREHOUSE 2750 REGENT BOULEVARD DFW AIRPORT, TX 75261

SALES ORDER NO.

327224-002

	B O BOY 613	U+.0					
8	DALLAS, TX						
ğ		•	75261-9048				
08/	F.O.B./INCOTER TERMS: 1/2% 10, Net 30 Days to	RMS: EXWORKS	3	YOUR ORDER	NO 4533600	* ************************************	
20	TERMS: 1/2% 10, Net 30 Days t	Unless Otherwise Noted	VIA			INVOICE DATE	
/20	1/2% 10 DAY	S NET 30					
6	Item Quantity Due	Quantity Shipped		Part Number			U/M
S							
Ship	*****	****	******	*****	*****	***	
#:	10 350	350	MS35489-	19			E
80	Description	: GROMME	IS, SYNTHE	TIC AND	SILICONE	RU	${\tt IL}$
033	ECCN: EAR99 Mfr: ALLSTA	SCHED I	B: 4016930	000			
398	Mfr: ALLSTA	TES RUBBE	R&TOOL				
327	Lot#: 70615	Rev: K	(350)				

MFR. CERTS REQUIRED ALL CERTS IN SUPPLY CHAIN REQUIRED PKG 10 PER

OR SOONER

Cure: 2Q15 Exp: 3Q20 Compound:

EACH CONTAINER WEIGHT SHALL NOT EXCEED 50 LBS. DO NOT SHIP IN OTHER THAN PACKAGE QUANTITY.

EFT BLANK

APHONGSAVAN 01/25/16

Gross / Net Wt	No Ctns
CERTIFICATE	OF CONFORMANCE
material contained in this shipment was produced in accordance with applicable specification requi	rements and certification indicating conformance is on file subject to examination. ASC

disclaims any responsibility for manufacturing or functional defects and hereby limits express or in accepting delivery of this material, acknowledges awareness of such limitations of liability.

Please note that an ASC return material authorization number must be issued for all returns. Lot Traces the control and account macross experimental number main or essues for an editors. It are essuely is an analysiny for all returns. Return of any merchandise will not be accepted after mercy days from date of shipment.

DATE: 01/21/16 PACKING LIST / CEF

PACKING LIST / CERTIFICATION

(GERALD NEWELL)

TRACK #: S90571

Original

ECAS, LLC CERTIFICATE OF CONFORMITY

No: 548888 Bill To: Ship To: **ORIGINAL** A.S.C. INDUSTRIES A.S.C. INDUSTRIES ACCTS. PAYABLE ATTN: RECEIVING 1227 CORPORATE DRIVE WEST 1225 CORPORATE DRIVE WEST ARLINGTON, TX 76006 **ARLINGTON, TX 76006 Customer PO** Ship Date Airway Bill Number 200353 1/11/2016 1Z 316 5E0 03 5312 7380 Part No. Description Cond Qty S/L MS35489-19 GROMMET NE 350 24 MFR: ALLSTATES ECCN#: EAR99 LOT: 70615 SCHB#: 4016.93.0000 CONDITIONS: NE - New NS - New Surplus **OH-Overhauled** -RP-Repaired SV-Serviceable We hereby certify that the items that are a part of this Purchase Order have been visually & dimensionally found to conform to all applicable standards, drawings & specifications. The liability of ECAS is limited to replacement of any item which is rejected because of a defect in material or workmanship if notified within 30 days & liability shall not exceed the invoice value. Such replacement shall constitute satisfaction of all liability. Signed: For and on behalf of EAST COAST AVIATION SUPPLIES, INC.

Inspectors Stamp



8201 West 183rd Street. Unit Tel • Tinley Park, Il 60487 Phone (708) 342-1030 • Fax (708) 342-1033 In Greater Chicage

MONROE 399 East Drive Melbourne, FL. 32904

CERTIFICATE OF COMPLIANCE

DATE1_6_16	-
PURCHASE ORDER FL75808	• ,
INVOICE	DESCRIPTION_GROMMET
ASR&T P/N 2273-B50	
CUSTOMER P/N MS 35489-19	and an entire property of the contract of the
QUANTITY 2000	
CURE DATE 6/15	LOT#_@706/5

THIS IS TO CERTIFY THAT ALL PARTS AND/OR MATERIALS INCLUDED IN THIS SHEPMENT HAVE BEEN MANUFACTURED AND/OR PROCESSED IN CONFORMANCE WITH ALL APPLICABLE DRAWINGS, INSTRUCTIONS AND SPECIFICATIONS. INSPECTION AND/OR TEST RECORDS, AS REQUIRED, ARE ON FILE AND WILL BE MADE AVAILABLE UPON REQUEST.

MIKE BURKE, PRESIDENT

C-5 REV6, 08-07-08

Rubber is our middle name!
See our home page at www.allstatesrubber.com

FROM: \$ 800 CLEARWATER LOOP BILD INDUSTRIES, INC. POST FALLS, ID 83854

0045370753

523191

0045370753, 523191

800 CLEARWATER LOOP BILD INDUSTRIES, INC. POST FALLS, ID 83854

0045370753

523191

FROM: 800 CLEARWATER LOOP BILD INDUSTRIES, INC. POST FALLS, ID 83854

AVIALL SERVICES; INC. AVIALL CENTRAL WAREHOUSE 2750 REGENT BOULEVARD DFW AIRPORT TX 75261

AVIALL SERVICES, INC. AVIALL CENTRAL WAREHOUSE 2750 REGENT BOULEVARD DFW AIRPORT TX 75261

FROM:

AVIALL SERVICES, INC. AVIALL CENTRAL WAREHOUSE 2750 REGENT BOULEVARD DFW AIRPORT TX 75261

,	CUSTOMER BILL TO ADDRESS	COMPLETE CUSTOMER PO NO. BILL TO NO	SHIP TO NO. PAGE	DITTING BUYELLING THE
· ·		0045370753	ASI007 1	AINGES BIEBERS
	SERVICES, INC. AP DEPT.	BUYER NAME & PHONE NO.		
,	OX 619048	261904B	INSPECT	MMEDIATELY
LINE LOC QTY	ORDERED TOTAL OTY SHIPPED THIS ORDER	LOT 3 Lots V . CUST. PO	O. CUST. NO. DESCRIPTION	
<u> 1/A) </u>	2200 2200	AN5-15A 0045370	753 ASI007 BOLT	
INE LOC QTY	ORDERED TOTAL QTY SHIPPED THIS ORDER	LOT CUST-PO I	O CUST. NO. DESCRIPTION	
2	1	SZC MANUFACTURE CERT 0045370	759 ASICOT CERTIFICA	NANUARIO 02/04/16
LINE LOC QTY	ORDERED TOTAL OTY SHIPPED THIS ORDER	LOT OSA (QLL) CUST POT	O. CUST, NO. DESCRIPTION	AS SA
3 . 🔻 ,	1	COUNTRY OF ORIGIN 0045870	753 AS1007 FALTRAS AT	20
INE LOC QTY	ORDERED ' TOTAL GTY SHIPPED THIS ORDER	LOT 82726/52/2 70 *CUST. PO	O. CUST. NO. DESCRIPTION	
		A SAN GAR	Mar The Bon & Acres and	
INE LOC QTY	ORDERED TOTAL QTY SHIPPED THIS ORDER	LOT85423/75850: 1550 CUST.PO	D. CUST. NO. DESCRIPTION	
		BAM CT		The state of the s
INE LOC OTY	ORDERED TOTAL CITY SHIPPED THIS ORDER	LOT87467/8003/ = 580 CUST. PO.		
INE LOC QTY	ORDERED TOTAL OTY SHIPPED THIS ORDER	LOT CUST. PO I	O. CUST. NO. DESCRIPTION	
				2 2 2 4 4 4 4
INE LOC QTY	ORDERED TOTAL QTY SHIPPED THIS ORDER	LOT CUST. PO	O. CUST. NO. DESCRIPTION	
VE HEREBY CERTIFY VITH AN-MS-NAS OR	CERTIFICATION OF C Y THAT THE MERCHANDISE INCLUD R APPLICABLE SPECIFICATIONS ANI	ON THIS PACKING LIST IS IN CONFORMANCE	2016 And Control MANAGER	
Z FT TOTAL WT	NO CTNS P	TITAL WPLETE SIDER COMPLETE SUBJECT S	DATE SHIPPED SHIPPED VIA	SIGNATURE - MERCHANDISE RECEIVED
			AMERICAN STATE OF THE STATE OF	The second second

0045370753

523191

0045370753, 523191 FROM:

800 CLEARWATER LOOP BILD INDUSTRIES, INC. POST FALLS, ID 83854

0045370753

523191

FROM: * 800 CLEARWATER LOOP

BILD INDUSTRIES, INC. POST FALLS, ID \$8854

AVIALL SERVICES; INC. AVIALL CENTRAL WAREHOUSE 2750 REGENT BOULEVARD DFW AIRPORT TX 75261

AVIALL SERVICES, INC. AVIALL CENTRAL WAREHOUSE 2750 REGENT BOULEVARD DFW AIRPORT TX 75261

AVIALL SERVICES, INC. AVIALL CENTRAL WAREHOUSE 2750 REGENT BOULEVARD DFW AIRPORT TX 75261

			3 3 3 3 3			, , , , , , , , , , , , , , , , , , ,	
CUŜTOMER BILL	TO ADDRESS : معتصدون	COMPLETE CUSTOMER PO NO.	BILL TO NO. SH	IIP TO NO. PAG			
		0045370753	A	ST007		A MESSI	· 并在 1000 000 000 000 000 000 000 000 000 0
AVIALL SERVICE		BUYER NAME & PHONE NO.	NAME OF STREET	STORE S	的數學學	深域特別地類	
P.O. BOX 6190	•	EDI	建筑	ING	DE SER	IMMEDIA	第三人员是是
DALLAS	TX 75261904	1				THE RESERVE AND ADDRESS OF THE PERSON NAMED AND ADDRESS OF THE	
LINE LOC QTY ORDERED	TOTAL CTY LOT 3 /	its V : 1	CUST. PO NO.	CUST. NO.	DESCRIPTION		
1 1 2200	2200° C AN5-1		045370753	ASI007	BOLT 1		
LINE LOC QTY ORDERED	TOTAL CITY SHIPPED THIS ORDER		CUST*PO NO	~ CUST. NO.	ØESCRIPTION	<u>o</u>	
2 1		ANUFACTURE, CERT	0045370753	AS1007	CERTIFICA	NANUARIO 02/04/16	AND THE RESERVE
UNE LOC QTY ORDERED	SHIPPED THIS ORDER	SA (all)	CUST. PO NO.	CUST. NO.	DESCRIPTION	AN 2/0	
3 1	COUNT	RY OF ORIGIN W	045970753	A\$1007	pa involet	z ö	
LINE LOC QTY ORDERED	SHIPPED THIS ORDER LOT 8,27	26/5212= 70	CUST. PO NO.	CUST, NO.	DESCRIPTION		
			JENT BAS IN	1.48 Rist'	e comando		
LINE LOC QTY ORDERED	SHIPPED THIS ORDER LOT 85 4	3/75850 ²¹⁵⁵ 0	CUST. PO NO.	CUST. NO.	DESCRIPTION		
			THES TO LIVE-	A 2 8 4 5 5	SHEAR AS TO		医他性恐惧
LINE LOC QTY ORDERED	TOTAL OTY LOT 874	67/80031= 580	CUST. PO NO	'CUST. NO.	DESCRIPTION	6	A TANTA
		ŕ			,	A = 2	经 人态是钢
LINE LOC QTY ORDERED	TOTAL OTY LOT		CUST, PO NO.	CUST. NO.	DESCRIPTION	4	新华大学
						736 736	
LINE LOC QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER		CÚST, PO NO.	CUST. NO.	DESCRIPTION		
			· h.	**		BATC	
	ERTIFICATION OF CONFORMANCE RCHANDISE INCLUDED ON THIS PAGE	KING LIST IS IN CONFORMANCE	DATE	9777	INTROL MANAGER		发票。如此是
WITH AN-MS-NAS OR APPLICABLE	SPECIFICATIONS AND OR DRAWING	CAGE CODE 31222	JAN 2 7 2016	Much	L Jancen		
TOTAL WT NO CTA	C = COMPLETE CC = CONSIDER COM	LETE TO SERVICE THE SERVICE TH	***	ESHIPPED SH	IPPED VIA	建筑设置	SIGNATURE MERCHANDISE RECEIVED
	CX = CANCEL	THE CONTROL OF		7 2/ 1			

MAC FASTENERS, INC. 1110 ENTERPRISE OTTAWA, KANSAS 66067

CERTIFICATE OF CONFORMANCE AND MANUFACTURER'S AFFIDAVIT

CUSTOMER: BILD INDUSTRIES

PO: 85423

PART NUMBER: AN5-15A

REV: 3

LOT NUMBER: 75850

MANUFACTURED QUANTITY: 18,000

MILL HEAT NUMBER: 8195829

COUNTRY OF ORIGIN: UNITED STATES OF AMERICA

DFARS 252.225.7009 Compliant

MERCURY FREE CERTIFICATION

MacFasteners certifies that the parts referenced in the above lot number do not contain Mercury or Mercury compounds, and were manufactured in a Mercury free environment.

We certify that the parts furnished against the above referenced purchase order were manufactured by MAC FASTENERS within the United States, and were processed in accordance with all applicable drawings and specifications. Objective evidence of compliance is on file, subject to examination upon request.

Mac Fasteners is a DISC QSLM approved Manufacturer - CAGE Code 0RFT4 Mac Fasteners is an Airbus approved Supplier - 203399

DATE: 03/09/15

QUALITY ASSURANCE REPRESENTATIVE

CUST PO NO SO NO **CUST PO NO** 0045431339 CUST PO NO 528455 SONO (0045431339 528455 FROM: 0045431339 528455 800 CLEARWATER LOOP FROM: BILD INDUSTRIES, INC. 800 CLEARWATER LOOP FROM: BILD INDUSTRIES, INC. POST FALLS, ID 83854 POST FALLS, ID 83854 800 CLEARWATER LOOP BILD INDUSTRIES, INC. POST FALLS, ID 83854 S AVIALL SERVICES, INC. P AVIALL SERVICES, INC. AVIALL CENTRAL WAREHOUSE AVIALL SERVICES, INC. AVIALL CENTRAL WAREHOUSE 2750 REGENT BOULEVARD AVIALL CENTRAL WAREHOUSE 2750 RECENT BOULEVARD 2750 REGENT BOULEVARD DFW AIRPORT " TX 75261 DFW AIRPORT TX 75261 DFW AIRPORT TX 75261 CUSTOMER BILL TO ADDRESS COMPLETE CUSTOMER PO NO. BILL TO NO. SHIP TO NO. 0045431339 AS1007 AVIALL SERVICES, INC. BUYER NAME & PHONE NO. ATTN. AP DEPT. . P.O. BOX 619048 EDI DALLAS TX 752619048 LINE TOTAL GTY SHIPPED THIS ORDER LOC QTY ORDERED LOT 84022/ 14099 CUST, PO NO. CUST. NO. DESCRIPTION 280 AN4C10A 0045431339 ASI007 BOLT LINE LOC QTY ORDERED TOTAL OTY SHIPPED THIS ORDER LOT CUST, PO NO. CUST, NO. DESCRIPTION 1 S/C MANUFACTURE CERT 0045431339 **ASI007** CERTIFICATION LOC OTY ORDERED TOTAL OTY SHIPPED THIS ORDER CUST. PO NO. CUST. NO. DESCRIPTION 3 COUNTRY OF ORIGIN 0045431339 AS1007 LINE TOTAL OTY HIPPED THIS ORDER LOC OTY ORDERED LOT CUST. PO NO. CUST, NO. DESCRIPTION LINE LOC QTY ORDERED TOTAL OTY HIPPED THIS ORDER LOT CUST. PO NO. CUST, NO. 在基本学生的。 AN4C10A = 28 LINE LOC TOTAL OTY HIPPED THIS ORDER QTY ORDERED LOT cus LINE LOC QTY ORDERED TOTAL OTY HIPPED THIS ORDER LOT **DMCEVOY** CUS. 05/09/16 LINE LOC TOTAL OTY SHIPPED THIS ORDER QTY ORDERED LOT CUST CERTIFICATION OF CONFORMANCE DATE WE HEREBY CERTIFY THAT THE MERCHANDISE INCLUDED ON THIS PACKING LIST IS IN CONFORMANCE QUALITY CONTROL MANAGER WITH AN-MS-NAS OR APPLICABLE SPECIFICATIONS AND OR DRAWINGS. CAGE CODE 31222 TOTAL WT NO CTNS P = PARTIAL
C = COMPLETE
CC = CONSIDER COMPLETE
CX = CANGEL

WE HEREBY CERTIFY THAT THESE GOODS WERE PRODUCED IN COMPLIANCE WITH ALL APPLICABLE REQUIREMENTS OF SECTIONS 6, 7, AND 12 OF THE FAIR LABOR STANDARDS ART OF 1938, AS AMENDED, AND OF REGULATIONS AND ORDERS OF THE ADMINISTRATOR OF THE WAGE AND, HOUR DIVISION ISSUED UNDER SECTION 14 THEREOF. IMPORTED ITEMS, IF RESOLD OR REPACKED MUST CONFORM TO THE REQUIREMENTS OF 19 U.S.C. 1304 AND 19 CFR PART 134. ALL CLAIMS MUST BE MADE WITHIN TEN (10) DAYS, PACKING LIST MUST ACCOMPANY CLAIM, MERCHANDISE NOT SUBJECT TO RETURN WITHOUT OUR PERMISSION.

MATERIAL CONTAINED IN THIS SHIPMENT WAS INSPECTED IN ACCORDANCE WITH APPRICABLE DRAWINGS AND SPECIFICATIONS, BILD INDUSTRIES DISCLAIMS ANY RESPONSIBILITY FOR MANUFACTURING OR FUNCTIONAL DEFECTS, AND HEREBY LIMITS EXPRESS OR IMPLIED WARRANTIES TO LIABILITY FOR THE COST OF REPLACING OR REFUNDING THIS MATERIAL. BUYER IN ACCEPTING DELIVERY OF THIS MATERIAL ACKNOWLEDGES AWARENESS OF SUCH LIMITATIONS.

MAC FASTENERS, INC. 1110 ENTERPRISE OTTAWA, KANSAS 66067

CERTIFICATE OF CONFORMANCE AND **MANUFACTURER'S AFFIDAVIT**

CUSTOMER: BILD INDUSTRIES

PO: 84022

PART NUMBER: AN4C10A

REV: 3

LOT NUMBER: 74099

MANUFACTURED QUANTITY: 22,000

MILL HEAT NUMBER: 573669

COUNTRY OF ORIGIN: UNITED STATES OF AMERICA

DFARS 252.225.7009 Compliant

MERCURY FREE CERTIFICATION

MacFasteners certifies that the parts referenced in the above lot number do not contain Mercury or Mercury compounds, and were manufactured in a Mercury free environment.

We certify that the parts furnished against the above referenced purchase order were manufactured by MAC FASTENERS within the United States, and were processed in accordance with all applicable drawings and specifications. Objective evidence of compliance is on file, subject to examination upon request.

Mac Fasteners is a DISC QSLM approved Manufacturer - CAGE Code 0RFT4 Mac Fasteners is an Airbus approved Supplier - 203399

DATE: 06/15/15

ASSURANCE REPRESENTATIVE

CUST PO NO SO NO SO NO CUST PO NO SUNO -**CUST PO NO** 532044 532044 0045470044 0045470044 532044 0045470044 FROM: FROM: FROM: **800 CLEARWATER LOOP** 800 CLEARWATER LOOP 800 CLEARWATER LOOP BILD INDUSTRIES, INC. POST FALLS, ID 83854 BILD INDUSTRIES, INC. POST FALLS, ID 83854 BILD INDUSTRIES, INC. POST FALLS, ID 83854 SHIP AVIALL SERVICES, INC. AVIALL SERVICES, INC. AVIALL SERVICES, INC. AVIALL CENTRAL WAREHOUSE AVIALL CENTRAL WAREHOUSE AVIALL CENTRAL WAREHOUSE 2750 REGENT BOULEVARD 2750 REGENT BOULEVARD 2750 RECENT BOULEVARD DFW AIRPORT TX 75261 DFW AIRPORT TX 75261 DFW AIRPORT TX 75261 **CUSTOMER BILL TO ADDRESS** COMPLETE CUSTOMER PO NO. BILL TO NO. SHIP TO NO. PAGRINGESAL 0045470044 AVIALL SERVICES, INC. BUYER NAME & PHONE NO. ATTN. AP DEPT. P.O. BOX 619048 EDI DALLAS TX 752619048 TOTAL OTY SHIPPED THIS ORDER LOT 88169/81821 LINE LOC **QTY ORDERED** CUST. PO NO. CUST. NO. DESCRIPTION 400 AN4C13A 0045470044 **ASI007** BOLT EMARISCAL 07/11/16 LOC OTY ORDERED TOTAL OTY PED THIS ORDER CUST. PO NO. LINE LOT CUST, NO. DESCRIPTION 1 S/C MANUFACTURE CERT 0045470044 **ASI007** CERTIFICATION > TOTAL OTY HIPPED THIS ORDE QTY ORDERED LINE LOC LOT CUST. PO NO. CUST. NO. DESCRIPTION ' 3 1 COUNTRY OF ORIGIN 0045470044 ASI007 LINE LOC QTY ORDERED TOTAL OTY SHIPPED THIS ORDER LOT. CUST, PO NO. CUST, NO. DESCRIPTION TOTAL OTY LINE LOC QTY ORDERED CUST. PO NO. LOT CUST. NO. DESCRIPTION TOTAL OTY LINE LOC OTY ORDERED LOT CUST. PO NO CUST. NO DESCRIPTION TOTAL QTY CUST. PO NO. CUST. NO LINE LOC OTY ORDERED LOT DESCRIPTION HIPPED THIS ORDER TOTAL OTY SHIPPED THIS ORDER CUST. PO NO. CUST. NO. DESCRIPTION LINE LOC OTY ORDERED LOT DATE QUADITY CONTROL MANAGER CERTIFICATION OF CONFORMANCE WE HEREBY CERTIFY THAT THE MERCHANDISE INCLUDED ON THIS PACKING LIST IS IN CONFORMANCE JUN 29 WITH AN-MS-NAS OR APPLICABLE SPECIFICATIONS AND OR DRAWINGS. CAGE CODE 31222 P = PARTIAL
C = COMPLETE
CC = CONSIDER COMPLETE
CX = CANCEL DATE SHIPPED TOTAL WT

SONO CUST PO NO SO NO **CUST PO NO** SO NO **CUST PO NO** 530379 0045451983 530379 0045451983 0045451983 530379 FROM: 800 CLEARWATER LOOP. FROM: FROM: 800 CLEARWATER LOOP **600 CLEARWATER LOOP** BILD INDUSTRIES, INC. POST FALLS, ID 83854 BILD INDUSTRIES, INC. POST FALLS, ID 83854 BILD INDUSTRIES, INC. POST FALLS, ID 83854 SHIP AVIALL SERVICES, INC. AVIALL SERVICES, INC. AVIALL SERVICES, INC. AVIALL CENTRAL WAREHOUSE AVIALI. CENTRAL WAREHOUSE AVIALL CENTRAL WAREHOUSE 2750 REGENT BOULEVARD 2750 REGENT BOULEVARD 2750 REGENT BOULEVARD TX 75261 DPW AIRPORT DFW AIRPORT TX 75261 DFW AIRPORT TX 75261 BILL TO NO. SHIP TO NO. CUSTOMER BILL TO ADDRESS COMPLETE CUSTOMER PO NO. 0045451983 AVIALL SERVICES. INC. BUYER NAME & PHONE NO. AP DEPT. ATTN. BOX 619048 EDI P.O. TX 752619048 DALLAS TOTAL OTY SHIPPED THIS ORDER DESCRIPTION CUST, PO NO. CUST. NO. LINE LOC QTY ORDERED **ASI007** BOLT 3650 AN4-13A 0045451983 DESCRIPTION CUST, PO NO. CUST, NO. TOTAL OTY LOC OTY ORDERED LOT LINE **ASI007** CERTIFICATION S/C MANUFACTURE CERT 0045451983 DESCRIPTION CUST. NO. TOTAL OTY HIPPED THIS ORDER CUST, PO NO. OTY ORDERED LOT LOC LINE ASI007 COUNTRY OF ORIGIN 0045451983 1 CUST, PO NO. CUST, NO. DESCRIPTION TOTAL OTY SHIPPED THIS ORDER LOT LINE LOC OTY ORDERED ITEM AN4 - 13A = 28TOTAL CTY OTY ORDERED LINE LOC HIPPED THIS ORDER **SBURNS** TOTAL CTY LOC OTY ORDERED LINE 06/09/16 TOTAL OTY PPED THIS ORDER DESCRIPTION QTY ORDERED LINE LOC CUST. NO. DESCRIPTION TOTAL OTY CUST. PO NO. LOT **OTY ORDERED** LINE LOC QUALITY CONTROL MANAGER DATE CERTIFICATION OF CONFORMANCE WE HEREBY CERTIFY THAT THE MERCHANDISE INCLUDED ON THIS PACKING LIST IS IN CONFORMANCE JUN 0 1 2016 WITH AN-MS-NAS OR APPLICABLE SPECIFICATIONS AND OR DRAWINGS. DATE SHIPPED NO CTNS TOTAL WT

Ċ



Tel: +1.305.925.2600 • Fax: +1.305.507.7191 • www.KLXaerospace.com Remit to Address: 88289 Expedite Way, Chicago, IL 60695-0001 Wire Instructions: KLX Inc. • JPMorgan Chase Bank New York ABA: 021000021 • Account: 304639273 • SWIFT: CHASUS33 • CHIP UID: 0002 PickTkt NUMBER 9KPZV1.101

PAGE 1

SOLD TO:

AVIALL INC PO BOX 619048

DALLAS, TX 75261-9048

AVIALL SERVICES 2750 REGENT BLVD

SHIP TO:

DFW AIRPORT, TX 75261-9048

IDER NO.	DATE	SHIP VIA		TERMS		SHIPPING TERMS
15203141	04/13/15	FEDX GRD CO	LL	NET 45	1	FOB-MIAMI
M QUANTITY O. ORDERED	PART NUMBER AND DESCRIPTION		UNIT	BACK ORDER	SHIPPED	1
1000	AN3C13A BOLT ECCN:9A991 TARIFF:7318.15.8 MFR: MAC FASTENER CTRL#: 2015E062 LOT#:71004 LOT QTY: 1000 Country of Origin **REF: PKG 25 EA P	S 64 : USA	EA	0	1000	*.
				N3C13A = 28		AHENRY 05/21/15

ALL ITEMS ARE SUBJECT TO A 100% RESTOCKING CHARGE.

SHIPPED FROM: 10000 NW 15 TERRACE, MIAMI, FL 33172

MATERIAL CERTIFICATION: KLX INC. ("KLX AEROSPACE SOLUTIONS") WARRANTS THAT THE ITEMS SUBJECT OF THIS INVOICE WILL BE FREE FROM DEFECTS OF MATERIAL AND WORKMANSHIP AND, AS SET FORTH ON THE MATERIAL CERTIFICATION FORM ACCOMPANYING THE ITEMS SUBJECT OF THIS INVOICE, ARE IN CONFORMITY WITH ALL CURRENT GOVERNMENTAL REQUIREMENTS AND THE SPECIFICATIONS OF THE RESPECTIVE MANUFACTURERS. KLX AEROSPACE SOLUTIONS DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ALL WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE. THE LIABILITY OF KLX AEROSPACE SOLUTIONS IS EXPRESSLY LIMITED EXCLUSIVELY TO REPLACEMENT BECAUSE OF A DEFECT IN MATERIAL OF ANY ITEM WHICH IS REJECTED CONSTITUTE SATISFACTION OF ALL LIABILITY KLX AEROSPACE SOLUTIONS MAY HAVE IN CONNECTION WITH SUCH ITEM, WHETHER LIABILITY IS BASED UPON CONTRACT RIGHTS, NEGLIGENCE, OR OTHERWISE, AND IN NO EVENT SHALL KLX AEROSPACE SOLUTIONS BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENT DAMAGES. FURTHER, KLX AEROSPACE SOLUTIONS MUST BE NOTIFIED OF A REJECTION-OF ALL LIABILITY MY 30 DAYS AFTER RECEIPT BY THE CUSTOMER.

PACKING SLIP

Vide President of Quality BY RECEIVING DELIVERY OF THE ITEMS COVERED BY THIS INVOICE, BUYER AGREES TO THE TERMS AND CONDITIONS OF SALE AT:
http://www.KLXaerospace.com/conditions-sale/





P.O. Box 025263, Miami, FL 33102-5263 • Tel: 305.925.2600 • Fax: 305.507.7191 Plant Location: 10000 N.W. 15th Terrace, Miami, FL 33172 • SITA: MIAMMCR www.KLXaerospace.com

Shipped From: 10000 NW 15 TERRACE, MIAMI, FL 33172

Material Certification

The items set forth on the purchase order referred to below have been visually inspected and the dimensions thereof have been measured by us, and based on the aforesaid, as well as the representation made to us by the manufacturers of the items subject of such purchase order, we hereby certify that such items are in conformity with all current governmental and manufacturer's requirements, specifications, drawings, and conform to the purchase order requirements. Said items are in new condition and have not been obtained from any U.S. Government or Military source and are traceable to KLX Aerospace Solutions.

FIRM: AVIALL INC

PURCHASE ORDER#: 45203141

LNE6 QUANTITY U/N PART-NUMBER CUST BEFF LOT-NUMBER MANUFACTURER CCODE MFR DATE EXP DATE

Jason Lewis

Senior Director, Global Quality

Inv # 05/15/15



Tel: +1,305,925,2600 • Fax: +1,305,507,7191 • www.KLXaerospace.com Remit to Address: 88289 Expedite Way, Chicago, IL 60695-0001 Wire instructions: KLX Inc. • JPMorgan Chase Bank New York ABA: 021000021 • Account: 304639273 • SWIFT: CHASUS33 • CHIP UID: 0002

SHIP TO:

INVOICE NUMBER
HZST2S

PAGE 1 OF 1

SOW 1871

AVIALL INC
PO BOX 619048

DALLAS, TX 75261-9048

AVIALL SERVICES 2750 REGENT BLVD

DFW AIRPORT, TX 75261-9048

ORDER NO.		DATE		SHIP VIA		1	TERMS		SHIPPING TERMS
45203141			05/15/15	FEDX GRD	COLL]	NET 45		FOB-MIAMI
ITEM QUAN'		UMBER ANI	D DESCRIPTION			UNIT	BACK ORDER	SHIPPED	i
NO. ORDEI	# SHIPPED :	Cl3A LT CN :9A Intry RIFF: R: MAC RL# : F QTY: Intry REF: P	991 Origin: U 7318.15.8 FASTENEF 2015E062 71004 1000 of Origin KG 25 EA ***	8085 RS R64	Ē	EA	0	1000	
	I I								

ALL ITEMS ARE SUBJECT TO A 100% RESTOCKING CHARGE.

SHIPPED FROM: 10000 NW 15 TERRACE, MIAMI, FL 33172

ORIGINAL INVOICE

BY RECEIVING DELIVERY OF THE ITEMS COVERED BY THIS INVOICE, BUYER AGREES TO THE TERMS AND CONDITIONS OF SALE AT: http://www.KLXaerospace.com/conditions-sale/



Tel: +1.305.925.2600 • Fax: +1.305.507.7191 • www.KLXaerospace.com Remit to Address: 88289 Expedite Way, Chicago, IL 60695-0001 Wire Instructions: KLX Inc. • JPMorgan Chase Bank New York ABA: 021000021 • Account: 304639273 • SWIFT: CHASUS33 • CHIP UID: 0002

SHIP TO:

INVOICE NUMBER

HZST2S

PAGE 1 OF 1

5040 1371 AVIALL INC

PO BOX 619048

DALLAS, TX 75261-9048

AVIALL SERVICES 2750 REGENT BLVD

DFW AIRPORT, TX 75261-9048

ORDER NO.		DATE	SHIP VIA			TERMS		SHIPPING TERMS
45203141		05/15/15	FEDX GRD	COLL		NET 45		FOB-MIAMI
ITEM QUANTITY NO. ORDERED	PART NU	MBER AND DESCRIPTION				BACK ORDER	SHIPPED	,
*** SHIP # 1=CTN	COU TAR MFR CTR LOT LOT COU **R		085 S 64 : USA PER PACKAG	SE.	EA	0	100	
agar 9KPZV1 form #16007.00	1	PED ON 05/15/1 **CONSOLIDAT	ION# 1BFS					
		MATERIAL TO BE R	ETURNED MUS	T HAVE PR	IOR AUTHO	ORIZATION BY K	LX INC.	

ALL ITEMS ARE SUBJECT TO A 100% RESTOCKING CHARGE.

SHIPPED FROM: 10000 NW 15 TERRACE, MIAMI, FL 33172

ORIGINAL INVOICE

BY RECEIVING DELIVERY OF THE ITEMS COVERED BY THIS INVOICE, BUYER AGREES TO THE TERMS AND CONDITIONS OF SALE AT: http://www.KLXaerospace.com/conditions-sale/



INVOICE NUMBER
HZST2S

PAGE 1 OF 1

Tel: +1.305.925.2600 • Fax: +1.305.507.7191 • www.KLXaerospace.com Remit to Address: 88289 Expedite Way, Chicago, IL 60695-0001 Wire Instructions: KLX Inc. • JPMorgan Chase Bank New York ABA: 021000021 • Account: 304639273 • SWIFT: CHASUS33 • CHIP UID: 0002

SOUR FS:71

AVIALL INC
PO BOX 619048
DALLAS, TX 75261-9048

SHIP TO:

AVIALL SERVICES 2750 REGENT BLVD

DFW AIRPORT, TX 75261-9048

TERMS SHIPPING TERMS SHIP VIA ORDER NO. DATE NET 45 FOB-MIAMI 05/15/15 FEDX GRD COLL 45203141 BACK ORDER SHIPPED ITEM QUANTITY PART NUMBER AND DESCRIPTION UNIT ORDERED 1000 AN3C13A EA 10 1000 BOLT ECCN : 9A991 Country Origin: USA TARIFF: 7318.15.8085 MFR: MAC FASTENERS CTRL# : 2015E06264 : 71004 LOT# LOT QTY: 1000 Country of Origin: USA **REF: PKG 25 EA PER PACKAGE * SHIPPED 1 CTN *** 1=CTN 16# 0 OZ. 036380979030679 FREIGHT ACCT# 123985630 9KPZV1 SHIPPED ON 05/15/15 agar **CONSOLIDATION# 1BFS1R #16007.000303 form


MATERIAL TO BE RETURNED MUST HAVE PRIOR AUTHORIZATION BY KLX INC.

ALL ITEMS ARE SUBJECT TO A 100% RESTOCKING CHARGE.

SHIPPED FROM: 10000 NW 15 TERRACE, MIAMI, FL 33172

ORIGINAL INVOICE

BY RECEIVING DELIVERY OF THE ITEMS COVERED BY THIS INVOICE, BUYER AGREES TO THE TERMS AND CONDITIONS OF SALE AT: http://www.KLXaerospace.com/conditions-sale/



WE HEAEBY CERTIFY THAT THESE GOODS WERE PRODUCED IN COMPLIANCE WITH ALL APPLICABLE REQUIREMENTS OF SECTIONS 6, 7, AND 12 OF THE FAIR LABOR STANDARDS ART OF 1938, AS AMENDED, AND OF REGULATIONS AND ORDERS OF THE ADMINISTRATOR OF THE WAGE AND HOUR DIVISION ISSUED UNDER SECTION 14 THEREOF. IMPORTED ITEMS. IF RESOLD OR REPACKED MUST CONFORM TO THE REQUIREMENTS OF 19 U.S.C. 1304 AND 19 CFR PART 134. ALL CLAIMS MUST BE MADE WITHIN TEN (10) DAYS, PACKING LIST MUST ACCOMPANY CLAIM, MERCHANDISE NOT SUBJECT TO RETURN WITHOUT OUR PERMISSION.

MATERIAL CONTAINED IN THIS SHIPMENT WAS INSPECTED IN ACCORDANCE WITH APPLICABLE DRAWINGS AND SPECIFICATIONS. BILD INDUSTRIES DISCLAIMS ANY RESPONSIBILITY FOR MANUFACTURING OR FUNCTIONAL DEFECTS, AND HEREBY LIGHTS EXPRESS OR IMPLIED WARRANTIES TO LIABILITY FOR THE COST OF REPLACING OR REFUNDING THIS MATERIAL. BUYER IN ACCEPTING DELIVERY OF THIS MATERIAL ACKNOWLEDGES AWARENESS OF SUCH LIMITATIONS

March & forces

MAC FASTENERS, INC. 1110 ENTERPRISE OTTAWA, KANSAS 66067

CERTIFICATE OF CONFORMANCE AND MANUFACTURER'S AFFIDAVIT

CUSTOMER: BILD INDUSTRIES

PO: 85946

PART NUMBER: AN4-13A

REV: 3

LOT NUMBER: 77034

MANUFACTURED QUANTITY: 86,100

MILL HEAT NUMBER: 8198502

COUNTRY OF ORIGIN: UNITED STATES OF AMERICA

DFARS 252,225,7009 Compliant

MERCURY FREE CERTIFICATION

MacFasteners certifies that the parts referenced in the above lot number do not contain Mercury or Mercury compounds, and were manufactured in a Mercury free environment.

We certify that the parts furnished against the above referenced purchase order were manufactured by MAC FASTENERS within the United States, and were processed in accordance with all applicable drawings and specifications. Objective evidence of compliance is on file, subject to examination upon request.

Mac Fasteners is a DISC QSLM approved Manufacturer - CAGE Code 0RFT4 Mac Fasteners is an Airbus approved Supplier - 203399

DATE: 08/06/15

QUALITY ASSURANCE REPRESENTATIVE

SAFETY DATA SHEET



Date of issue/Date of revision

24 February 2015

Version 3.02

Section 1. Identification

Product name

: PS 890 B 2 Part A

Product code

: PS 890 B 2 Part A

Other means of

: Not available.

identification

Product type

: Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Product use

: Industrial applications.

Use of the substance/

: Sealants

mixture

Uses advised against

: Not applicable.

Supplier

: PPG Aerospace PRC-DeSoto

12780 San Fernando Road

Sylmar, CA 91342 Phone: 818 362 6711

Emergency telephone

number

: (412) 434-4515 (U.S.)

(514) 645-1320 (Canada) 01-800-00-21-400 (Mexico)

Section 2. Hazards identification

OSHA/HCS status

: This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910.1200).

Classification of the substance or mixture : ACUTE TOXICITY (oral) - Category 4

ACUTE TOXICITY (inhalation) - Category 4

SKIN SENSITIZATION - Category 1 **CARCINOGENICITY - Category 2**

TOXIC TO REPRODUCTION (Fertility) - Category 2

SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2 Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 9.5%

GHS label elements

Hazard pictograms





United States

Page: 1/14

Product code PS 890 B 2 Part A

Date of issue 24 February 2015 Version 3.02

Product name PS 890 B 2 Part A

Section 2. Hazards identification

Signal word

: Warning

Hazard statements

Harmful if swallowed or if inhaled.
 May cause an allergic skin reaction.
 Suspected of damaging fertility.
 Suspected of causing cancer.

May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

Prevention

: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wear protective gloves. Use only outdoors or in a well-ventilated area. Do not breathe vapor. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.

Response

: Get medical attention if you feel unwell. IF exposed or concerned: Get medical attention. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention.

Storage

: Store locked up.

Disposal

: Dispose of contents and container in accordance with all local, regional, national and international regulations.

Supplemental label

elements

: Sanding and grinding dusts may be harmful if inhaled. Avoid contact with skin and clothing. Wash thoroughly after handling. Emits toxic fumes when heated.

Hazards not otherwise

classified

Oxidising potential: Contact with combustible material may cause fire. Keep away from clothing, incompatible materials and combustible materials. This material increases the risk of fire and may aid combustion. Prolonged or repeated contact may dry skin and cause irritation.

Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Product name

: PS 890 B 2 Part A

Ingredient name	%	CAS number
manganese dioxide	30 - 60	1313-13-9
Terphenyl, hydrogenated	10 - 30	61788-32-7
Zeolites	5 - 10	1318-02-1
Polyphenyls, quater- and higher, partially hydrogenated	3 - 7	68956-74-1
Talc , not containing asbestiform fibres	1 - 5	14807-96-6
carbon black, respirable powder	1 - 5	1333-86-4
magnesium carbonate	1 - 5	546-93-0
terphenyl	1 - 5	26140-60-3
1,3-diphenylguanidine	0.5 - 1.5	102-06-7
bis(piperidinothiocarbonyl) tetrasulphide	0.5 - 1.5	120-54-7

SUB codes represent substances without registered CAS Numbers.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

United States Page: 2/14

Product code PS 890 B 2 Part A

Date of issue 24 February 2015 Version 3.02

Product name PS 890 B 2 Part A

Section 3. Composition/information on ingredients

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

If ingestion, irritation, any type of overexposure or symptoms of overexposure occur during or persists after use of this product, contact a POISON CONTROL CENTER, EMERGENCY ROOM OR PHYSICIAN immediately; have Safety Data Sheet information available. Never give anything by mouth to an unconscious or convulsing person.

Description of necessary first aid measures

Eye contact : Check for and remove any contact lenses. Immediately flush eyes with running water for

at least 15 minutes, keeping eyelids open. Seek immediate medical attention.

Inhalation : Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is

irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained

personnel.

Skin contact : Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water

or use recognized skin cleanser. Do NOT use solvents or thinners.

ingestion : If swallowed, seek medical advice immediately and show this container or label. Keep

person warm and at rest. Do NOT induce vomiting.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact: No known significant effects or critical hazards.

Inhalation : Harmful if inhaled.

Skin contact : Defatting to the skin. May cause skin dryness and irritation. May cause an allergic skin

reaction.

Ingestion : Harmful if swallowed.

Over-exposure signs/symptoms

Eye contact : No specific data.

Inhalation: Adverse symptoms may include the following:

reduced fetal weight increase in fetal deaths skeletal malformations

Skin contact: Adverse symptoms may include the following:

irritation redness dryness cracking

reduced fetal weight increase in fetal deaths skeletal malformations

Ingestion: Adverse symptoms may include the following:

reduced fetal weight increase in fetal deaths skeletal malformations

Indication of immediate medical attention and special treatment needed, if necessary

United States Page: 3/14

Date of issue 24 February 2015 Version 3.02

Product name PS 890 B 2 Part A

Section 6. Accidental release measures

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Special precautions

: Keep away from combustible materials. If this material is part of a multiple component system, read the Safety Data Sheet(s) for the other component or components before blending as the resulting mixture may have the hazards of all of its parts.

Advice on general occupational hygiene : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

including any incompatibilities

Conditions for safe storage, : Do not store below the following temperature: 5°C (41°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

United States

Page: 5/14

Date of issue 24 February 2015 Version 3.02

Product code PS 890 B 2 Part A
Product name PS 890 B 2 Part A

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
manganese dioxide	ACGIH TLV (United States, 4/2014).
	TWA: 0.1 mg/m³, (as Mn) 8 hours. Form:
	Inhalable fraction
	TWA: 0.02 mg/m³, (as Mn) 8 hours. Form:
	Respirable fraction
	OSHA PEL (United States, 2/2013).
	CEIL: 5 mg/m³, (as Mn)
Terphenyl, hydrogenated	ACGIH TLV (United States, 4/2014).
	TWA: 4.9 mg/m³ 8 hours.
	TWA: 0.5 ppm 8 hours.
Zeolites	ACGIH TLV (United States, 4/2014).
	TWA: 1 mg/m³ 8 hours. Form: Respirable
	fraction
Talc , not containing asbestiform fibres	ACGIH TLV (United States, 4/2014).
	TWA: 2 mg/m³ 8 hours. Form: Respirable
	OSHA PEL Z3 (United States, 2/2013).
	TWA: 20 mppcf 8 hours. Form: not
	containing asbestos
carbon black, respirable powder	ACGIH TLV (United States, 4/2014).
	TWA: 3 mg/m³ 8 hours. Form: Inhalable
	fraction
	OSHA PEL (United States, 2/2013).
	TWA: 3.5 mg/m³ 8 hours.
magnesium carbonate	OSHA PEL (United States, 2/2013).
	TWA: 5 mg/m³ 8 hours. Form: Respirable
	fraction
	TWA: 15 mg/m³ 8 hours. Form: Total dust
terphenyl	ACGIH TLV (United States, 4/2014).
	C: 5 mg/m³
	C: 0.53 ppm
	OSHA PEL (United States, 2/2013).
	CEIL: 9 mg/m³
	CEIL: 1 ppm

Key to abbreviations

Α	= Acceptable Maximum Peak	S	=	Potential skin absorption
ACGIH	= American Conference of Governmental Industrial Hygienists.	SR	=	Respiratory sensitization
С	= Ceiling Limit	SS	=	Skin sensitization
F	= Fume	STEL	=	Short term Exposure limit values
IPEL	= Internal Permissible Exposure Limit	TD	=	Total dust
OSHA	= Occupational Safety and Health Administration.	TLV	=	Threshold Limit Value
R	= Respirable	TWA	=	Time Weighted Average
Z	= OSHA 29CFR 1910.1200 Subpart Z - Toxic and Hazardous Substances			

Consult local authorities for acceptable exposure limits.

Date of issue 24 February 2015 Version 3.02

Product code PS 890 B 2 Part A Product name PS 890 B 2 Part A

Section 8. Exposure controls/personal protection

procedures

Recommended monitoring: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

Appropriate engineering controls

: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eve/face protection Skin protection

: Safety glasses with side shields.

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Gloves

: butyl rubber

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

Page: 7/14

Product name PS 890 B 2 Part A

Date of issue 24 February 2015 Version 3.02

Section 9. Physical and chemical properties

<u>Appearance</u>

Physical state

: Liquid.

Color

Black.

Odor

: Not available.

Odor threshold

: Not available.

Hq

: Not available.

Melting point

: Not available.

Boiling point

: 360°C (680°F)

Flash point

: Closed cup: Not applicable.

Material supports

: Yes.

combustion.

Auto-ignition temperature

: Not available.

Decomposition temperature

: Not available.

Flammability (solid, gas)

: Not available.

Lower and upper explosive

: Not available.

(flammable) limits

: Not available.

Evaporation rate Vapor pressure

: Not available.

Vapor density

: Not available.

Relative density

: 1.88

Density (lbs/gal)

: 15.69

Solubility

: Insoluble in the following materials: cold water.

Partition coefficient: n-

octanol/water

: Not available.

Viscosity

: Kinematic (40°C (104°F)): >0.21 cm²/s (>21 cSt)

VOC

: Not available.

% Solid. (w/w)

: 100

Section 10. Stability and reactivity

Reactivity

: No specific test data related to reactivity available for this product or its ingredients.

Chemical stability

: The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid

: When exposed to high temperatures may produce hazardous decomposition products.

Refer to protective measures listed in sections 7 and 8.

Incompatible materials

: Keep away from the following materials to prevent strong exothermic reactions:

oxidizing agents, strong alkalis, strong acids.

United States

Page: 8/14

Date of issue 24 February 2015 Version 3.02

Product name PS 890 B 2 Part A

Section 10. Stability and reactivity

Hazardous decomposition products

: Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
manganese dioxide	LD50 Oral	Rat	3478 mg/kg	-
Terphenyl, hydrogenated	LD50 Oral	Rat	17500 mg/kg	-
Zeolites	LD50 Oral	Rat	>5 g/kg	-
carbon black, respirable powder	LD50 Dermal	Rabbit	>3 g/kg	-
powder	LD50 Oral	Rat	>15400 mg/kg	-
magnesium carbonate	LD50 Oral	Rat	8000 mg/kg	-
terphenyl	LD50 Oral	Rat	1400 mg/kg	-
1,3-diphenylguanidine	LD50 Oral	Rat	323 mg/kg	_

Conclusion/Summary

: There are no data available on the mixture itself.

Irritation/Corrosion

Conclusion/Summary

Skin

: There are no data available on the mixture itself.

Eves

: There are no data available on the mixture itself. : There are no data available on the mixture itself.

Respiratory

Sensitization

Conclusion/Summary

Skin

: There are no data available on the mixture itself.

Respiratory

: There are no data available on the mixture itself.

Mutagenicity

Conclusion/Summary

: There are no data available on the mixture itself.

Carcinogenicity

Conclusion/Summary

: There are no data available on the mixture itself.

Classification

Product/ingredient name	OSHA	IARC	NTP
Zeolites carbon black, respirable powder	-	3 2B	-

Carcinogen Classification code:

IARC: 1, 2A, 2B, 3, 4

NTP: Known to be a human carcinogen; Reasonably anticipated to be a human carcinogen

OSHA: +

Not listed/not regulated: -

Reproductive toxicity

Conclusion/Summary

: There are no data available on the mixture itself.

<u>Teratogenicity</u>

Page: 9/14 **United States**

Date of issue 24 February 2015 Version 3.02

Product name PS 890 B 2 Part A

Section 11. Toxicological information

Conclusion/Summary

: There are no data available on the mixture itself.

Specific target organ toxicity (single exposure)

Name	Category
Zeolites	Category 3
Talc , not containing asbestiform fibres	Category 3
1,3-diphenylguanidine	Category 3

Specific target organ toxicity (repeated exposure)

Name	Category
manganese dioxide	Category 2

Target organs

: Contains material which causes damage to the following organs: lungs, skin, central

nervous system (CNS).

Contains material which may cause damage to the following organs: blood, kidneys, the

nervous system, liver, spleen, lymphatic system, cardiovascular system, upper

respiratory tract, bone marrow, eye, lens or cornea.

Aspiration hazard

Not available.

Information on the likely routes of exposure

Potential acute health effects

Eye contact

: No known significant effects or critical hazards.

Inhalation

: Harmful if inhaled.

Skin contact

: Defatting to the skin. May cause skin dryness and irritation. May cause an allergic skin

reaction.

Ingestion

: Harmful if swallowed.

Over-exposure signs/symptoms

Eye contact

: No specific data.

Inhalation

: Adverse symptoms may include the following:

reduced fetal weight increase in fetal deaths skeletal malformations

Skin contact

: Adverse symptoms may include the following:

irritation redness dryness cracking

reduced fetal weight increase in fetal deaths skeletal malformations

Ingestion

: Adverse symptoms may include the following:

reduced fetal weight increase in fetal deaths skeletal malformations

Delayed and immediate effects and also chronic effects from short and long term exposure

United States Page: 10/14

Date of issue 24 February 2015 Version 3.02

Product name PS 890 B 2 Part A

Section 11. Toxicological information

Conclusion/Summary

: There are no data available on the mixture itself. If splashed in the eyes, the liquid may cause irritation and reversible damage. Ingestion may cause nausea, diarrhea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

Short term exposure

Potential immediate

: There are no data available on the mixture itself.

effects

Potential delayed effects : There are no

: There are no data available on the mixture itself.

Long term exposure

Potential immediate

: There are no data available on the mixture itself.

effects

Potential delayed effects: There are no data available on the mixture itself.

Potential chronic health effects

General: May cause damage to organs through prolonged or repeated exposure. Prolonged or

repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis. Once sensitized, a severe allergic reaction may occur when subsequently exposed to

very low levels.

Carcinogenicity : Suspected of causing cancer. Risk of cancer depends on duration and level of

exposure.

Mutagenicity : No known significant effects or critical hazards.

Teratogenicity: No known significant effects or critical hazards.

Developmental effects: No known significant effects or critical hazards.

Fertility effects : Suspected of damaging fertility.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value	
Oral	1099.7 mg/kg	
Inhalation (gases)	10532.1 ppm	
Inhalation (vapors)	25.75 mg/l	
Inhalation (dusts and mists)	3.511 mg/l	

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

United	States	Page: 11/14

Product name PS 890 B 2 Part A

Date of issue 24 February 2015 Version 3.02

Section 12. Ecological information

Product/ingredient name	LogPow	BCF	Potential
1,3-diphenylguanidine bis(piperidinothiocarbonyl) tetrasulphide	1.69 2.8	19.95 16.98	low low

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees. Section 6. Accidental release measures

14. Transport information

	DOT	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class (es)	-	-	-
Packing group	-	-	•
Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.

Additional information

DOT

: None identified.

IMDG

: None identified.

IATA

: None identified.

United States Page: 12/14

Date of issue 24 February 2015 Version 3.02

Product name PS 890 B 2 Part A

14. Transport information

Special precautions for user : Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to do in

the event of an accident or spillage.

Section 15. Regulatory information

United States inventory (TSCA 8b): All components are listed or exempted.

Australia inventory (AICS) : All components are listed or exempted.

Canada inventory (DSL) : All components are listed or exempted.

China inventory (IECSC) : All components are listed or exempted.

Europe inventory (REACH): Please contact your supplier for information on the inventory status of this material.

Japan inventory (ENCS) : All components are listed or exempted.

Korea inventory (KECI) : All components are listed or exempted.

New Zealand (NZIoC) : All components are listed or exempted.

Philippines inventory (PICCS) : All components are listed or exempted.

United States

SARA 302/304

SARA 304 RQ : Not applicable.

Composition/information on ingredients

No products were found.

SARA 311/312

Classification : Immediate (acute) health hazard

Delayed (chronic) health hazard

Composition/information on ingredients

Name	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
manganese dioxide	No.	No.	No.	Yes.	Yes.
Zeolites	No.	No.	No.	Yes.	No.
Polyphenyls, quater- and higher, partially hydrogenated	No.	No.	No.	Yes.	No.
Talc, not containing asbestiform fibres	No.	No.	No.	Yes.	No.
carbon black, respirable powder	Yes.	No.	No.	No.	Yes.
terphenyl	No.	No.	No.	Yes.	No.
1,3-diphenylguanidine	Yes.	No.	No.	Yes.	Yes.
bis(piperidinothiocarbonyl) tetrasulphide	Yes.	No.	No.	Yes.	No.

SARA 313

Chemical name

CAS number

<u>Concentration</u>

Supplier notification

: manganese dioxide

1313-13-9

30 - 60

United States

Page: 13/14

Date of issue 24 February 2015 Version 3.02

Product name PS 890 B 2 Part A

Section 15. Regulatory information

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

Additional environmental information is contained on the Environmental Data Sheet for this product, which can be obtained from your PPG representative.

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health: 3 * Flammability: 0 Physical hazards: 1

(*) - Chronic effects

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)

Health: 3 Flammability: 0 Instability: 1

Date of previous issue : 1/6/2015.

Organization that prepared : EHS

the MSDS

Key to abbreviations : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships.

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

Indicates information that has changed from previously issued version.

Disclaimer

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.

United States Page: 14/14

SAFETY DATA SHEET



Date of issue/Date of revision

20 November 2014

Version 2.01

Section 1. Identification

Product name

: PS 890 B 2 Part B

Product code

: PS 890 B 2 Part B

Other means of

: Not available.

identification

Product type

: Solid.

Relevant identified uses of the substance or mixture and uses advised against

Product use

: Industrial applications.

Use of the substance/

: Sealants

mixture

Uses advised against

: Not applicable.

Supplier

: PPG Aerospace PRC-DeSoto

12780 San Fernando Road

Sylmar, CA 91342 Phone: 818 362 6711

Emergency telephone

number

: (412) 434-4515 (U.S.)

(514) 645-1320 (Canada) 01-800-00-21-400 (Mexico)

Section 2. Hazards identification

OSHA/HCS status

: This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910.1200).

Classification of the substance or mixture : SKIN CORROSION/IRRITATION - Category 2

CARCINOGENICITY - Category 2

TOXIC TO REPRODUCTION (Unborn child) - Category 2

SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2 Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 9.2%

GHS label elements

Hazard pictograms





Signal word

: Warning

United States

Page: 1/14

Date of issue 20 November 2014 Version 2.01

Product name PS 890 B 2 Part B

Section 2. Hazards identification

Hazard statements

: Causes skin irritation.

Suspected of damaging the unborn child.

Suspected of causing cancer.

May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

Prevention

: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wear protective gloves. Do not breathe dust. Wash hands thoroughly after handling.

Response

: Get medical attention if you feel unwell. IF exposed or concerned: Get medical attention. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical attention.

Storage

: Store locked up.

Disposal

: Dispose of contents and container in accordance with all local, regional, national and international regulations.

Supplemental label

elements

: 1-component mixtures: formaldehyde is released during curing. Formaldehyde may cause irreversible effects, is irritating to the mucous membranes and may cause skin sensitization. Avoid contact with skin and clothing. Wash thoroughly after handling.

Emits toxic fumes when heated.

Hazards not otherwise

classified

: Prolonged or repeated contact may dry skin and cause irritation.

Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Product name

: PS 890 B 2 Part B

Ingredient name	%	CAS number
calcium carbonate	15 - 40	471-34-1
proprietary modified polysulfide polymer	3 - 7	Not available.
toluene	1 - 5	108-88-3
titanium dioxide	1 - 5	13463-67-7
proprietary modified polysulfide polymer	1 - 5	Not available.
thiram (ISO)	0.1 - 1	137-26-8

SUB codes represent substances without registered CAS Numbers.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

United States Page: 2/14

Date of issue 20 November 2014 Version 2.01

Product name PS 890 B 2 Part B

Section 4. First aid measures

Protection of first-aiders

: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media

: None known.

Specific hazards arising from the chemical

: This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Hazardous thermal decomposition products : Decomposition products may include the following materials: carbon dioxide

carbon monoxide halogenated compounds metal oxide/oxides

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

United States Page: 4/14

Date of issue 20 November 2014 Version 2.01

Product name PS 890 B 2 Part B

Section 6. Accidental release measures

Small spill

: Move containers from spill area. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Large spill

: Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Avoid exposure obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Special precautions

If this material is part of a multiple component system, read the Safety Data Sheet(s) for the other component or components before blending as the resulting mixture may have the hazards of all of its parts.

Advice on general occupational hygiene : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating. drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

including any incompatibilities

Conditions for safe storage, : Do not store below the following temperature: 5°C (41°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

United States Page: 5/14

Date of issue 20 November 2014 Version 2.01

Product code PS 890 B 2 Part B
Product name PS 890 B 2 Part B

Section 8. Exposure controls/personal protection

Ingredient name	Exposure limits
calcium carbonate	ACGIH TLV (United States).
	TWA: 3 mg/m³ Form: Respirable
	TWA: 10 mg/m³ Form: Total dust
	OSHA PEL (United States).
	TWA: 5 mg/m³ Form: Respirable
	TWA: 15 mg/m³
	OSHA PEL (United States, 2/2013).
	TWA: 5 mg/m³ 8 hours. Form: Respirable
	fraction
	TWA: 15 mg/m³ 8 hours. Form: Total dust
toluene	OSHA PEL Z2 (United States, 2/2013).
	AMP: 500 ppm 10 minutes.
	CEIL: 300 ppm
	TWA: 200 ppm 8 hours.
	ACGIH TLV (United States, 4/2014).
	TWA: 20 ppm 8 hours.
titanium dioxide	OSHA PEL (United States, 2/2013).
	TWA: 15 mg/m³ 8 hours. Form: Total dust
	ACGIH TLV (United States, 4/2014).
	TWA: 10 mg/m³ 8 hours.
thiram (ISO)	ACGIH TLV (United States, 4/2014). Skin
	sensitizer.
	TWA: 0.05 mg/m³ 8 hours. Form: Inhalable
	fraction and vapor
	OSHA PEL (United States, 2/2013).
	TWA: 5 mg/m³ 8 hours.

Key to abbreviations

Α	= Acceptable Maximum Peak	S	=	Potential skin absorption
ACGIH	= American Conference of Governmental Industrial Hygienists.	SR	=	Respiratory sensitization
С	= Ceiling Limit	SS	=	Skin sensitization
F	= Fume	STEL	=	Short term Exposure limit values
IPEL	= Internal Permissible Exposure Limit	TD	=	Total dust
OSHA	= Occupational Safety and Health Administration.	TLV	=	Threshold Limit Value
R	= Respirable	TWA	=	Time Weighted Average
Z	= OSHA 29CFR 1910 1200 Subpart Z - Toxic and Hazardous Substances			

Consult local authorities for acceptable exposure limits.

Recommended	monitoring
procedures	

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

Appropriate engineering controls

: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

United States	Page: 6/14
---------------	------------

Date of issue 20 November 2014 Version 2.01

Product code PS 890 B 2 Part B Product name PS 890 B 2 Part B

Section 8. Exposure controls/personal protection

Individual protection measures

: Wash hands, forearms and face thoroughly after handling chemical products, before Hygiene measures

eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety

showers are close to the workstation location.

Eye/face protection Skin protection

: Chemical splash goggles.

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be

worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the

protection time of the gloves cannot be accurately estimated.

Personal protective equipment for the body should be selected based on the task being **Body protection**

performed and the risks involved and should be approved by a specialist before

handling this product.

: Appropriate footwear and any additional skin protection measures should be selected Other skin protection

based on the task being performed and the risks involved and should be approved by a

specialist before handling this product.

: Respirator selection must be based on known or anticipated exposure levels, the Respiratory protection

hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying

with an approved standard if a risk assessment indicates this is necessary.

Section 9. Physical and chemical properties

: White.

Appearance

Color

Physical state : Solid.

Odor : Not available.

: Not available. Odor threshold : Not available. pН

: Not available. **Melting point Boiling point** : Not available.

Flash point : Closed cup: 67.22°C (153°F)

Material supports : Yes.

combustion.

Auto-ignition temperature : Not available. : Not available. Decomposition temperature

: Not available. Flammability (solid, gas) Lower and upper explosive : Lower: 1%

(flammable) limits

Evaporation rate : Not available.

> **United States** Page: 7/14

Date of issue 20 November 2014 Version 2.01

Product name PS 890 B 2 Part B

Section 9. Physical and chemical properties

Vapor pressure

: Not available.

Vapor density

: Not available.

Relative density

: 1.5

Density (lbs/gal)

: 12.52

Solubility

: Insoluble in the following materials: cold water.

Partition coefficient: n-

: Not available.

octanol/water Viscositv

: Kinematic (40°C (104°F)): Not applicable.

VOC

: 57 g/l

Section 10. Stability and reactivity

Reactivity

: No specific test data related to reactivity available for this product or its ingredients.

Chemical stability

: The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid

: When exposed to high temperatures may produce hazardous decomposition products.

Refer to protective measures listed in sections 7 and 8.

Incompatible materials

: Keep away from the following materials to prevent strong exothermic reactions:

oxidizing agents, strong alkalis, strong acids.

Hazardous decomposition

products

: Decomposition products may include the following materials: carbon monoxide, carbon

dioxide, smoke, oxides of nitrogen.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
calcium carbonate	LD50 Oral	Rat	6450 mg/kg	-
toluene	LC50 Inhalation Vapor	Rat	49 g/m³ ¯	4 hours
	LC50 Inhalation Vapor	Rat	8000 ppm	4 hours
	LD50 Dermal	Rabbit	8.39 g/kg	-
	LD50 Oral	Rat	636 mg/kg	-
titanium dioxide	LD50 Oral	Rat	>10 g/kg	-
thiram (ISO)	LC50 Inhalation Dusts and mists	Rat	4420 mg/m ³	4 hours
,	LD50 Dermal	Rat	>5000 mg/kg	-
	LD50 Oral	Rat	560 mg/kg	-

Conclusion/Summary

: There are no data available on the mixture itself.

Irritation/Corrosion

Conclusion/Summary

United States

Page: 8/14

Date of issue 20 November 2014 Version 2.01

Product name PS 890 B 2 Part B

Section 11. Toxicological information

Skin

: There are no data available on the mixture itself.

Eyes

There are no data available on the mixture itself.There are no data available on the mixture itself.

Respiratory Sensitization

Conclusion/Summary

Skin

: There are no data available on the mixture itself.

Respiratory

: There are no data available on the mixture itself.

Mutagenicity

Conclusion/Summary

: There are no data available on the mixture itself.

Carcinogenicity

Conclusion/Summary

: There are no data available on the mixture itself.

Classification

Product/ingredient name	OSHA	IARC	NTP
toluene	-	3	-
titanium dioxide	-	2B	-
thiram (ISO)	-	3	-

Carcinogen Classification code:

IARC: 1, 2A, 2B, 3, 4

NTP: Known to be a human carcinogen; Reasonably anticipated to be a human carcinogen

OSHA: +

Not listed/not regulated: -

Reproductive toxicity

Conclusion/Summary

: There are no data available on the mixture itself.

Teratogenicity

Conclusion/Summary

: There are no data available on the mixture itself.

Specific target organ toxicity (single exposure)

Name	Category
proprietary modified polysulfide polymer toluene proprietary modified polysulfide polymer	Category 3 Category 3 Category 3

Specific target organ toxicity (repeated exposure)

Name	Category
toluene	Category 2
thiram (ISO)	Category 2

Target organs

: Contains material which causes damage to the following organs: brain. Contains material which may cause damage to the following organs: blood, kidneys, the reproductive system, liver, heart, gastrointestinal tract, upper respiratory tract, skin, central nervous system (CNS), eye, lens or cornea.

Aspiration hazard

Name	Result
toluene	ASPIRATION HAZARD - Category 1

United States	Page: 9/14
United States	rage. or it

Date of issue 20 November 2014 Version 2.01

Product code PS 890 B 2 Part B

Product name PS 890 B 2 Part B

Section 11. Toxicological information

Information on the likely routes of exposure

Potential acute health effects

Eye contact

: Causes serious eye irritation.

Inhalation

No known significant effects or critical hazards.Causes skin irritation. Defatting to the skin.

Skin contact Ingestion

: Irritating to mouth, throat and stomach.

Over-exposure signs/symptoms

Eye contact

: Adverse symptoms may include the following:

pain or irritation

watering redness

Inhalation

: Adverse symptoms may include the following:

reduced fetal weight increase in fetal deaths skeletal malformations

Skin contact

: Adverse symptoms may include the following:

irritation redness dryness cracking

reduced fetal weight increase in fetal deaths skeletal malformations

Ingestion

: Adverse symptoms may include the following:

reduced fetal weight increase in fetal deaths skeletal malformations

Delayed and immediate effects and also chronic effects from short and long term exposure

Conclusion/Summary

: There are no data available on the mixture itself. **1-component mixtures:** formaldehyde is released during curing. Formaldehyde may cause irreversible effects, is irritating to the mucous membranes and may cause skin sensitization. Exposure to component solvent vapor concentrations in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and, in extreme cases, loss of consciousness. Solvents may cause some of the above effects by absorption through the skin. There is some evidence that repeated exposure to organic solvent vapors in combination with constant loud noise can cause greater hearing loss than expected from exposure to noise alone. Ingestion may cause nausea, diarrhea and vomiting. This takes into account, where known,

delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye

contact.

Short term exposure

Potential immediate

effects

: There are no data available on the mixture itself.

Potential delayed effects

: There are no data available on the mixture itself.

Long term exposure

United States Page: 10/14

Date of issue 20 November 2014 Version 2.01

Product name PS 890 B 2 Part B

Section 11. Toxicological information

Potential immediate

: There are no data available on the mixture itself.

effects

Potential delayed effects : There are no data available on the mixture itself.

Potential chronic health effects

: May cause damage to organs through prolonged or repeated exposure. Prolonged or General

repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.

: Suspected of causing cancer. Risk of cancer depends on duration and level of Carcinogenicity

exposure.

: No known significant effects or critical hazards. Mutagenicity

Teratogenicity : Suspected of damaging the unborn child.

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	16598.2 mg/kg

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
titanium dioxide thiram (ISO)	Acute LC50 >100 mg/l Fresh water Acute EC50 0.04 mg/l Marine water Acute LC50 0.02 mg/l Marine water	Daphnia - Daphnia magna Algae - Nannochloropsis oculata Crustaceans - Artemia franciscana - Nauplii	48 hours 72 hours 48 hours
	Acute LC50 0.01 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours

Persistence and degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
toluene	-	-	Readily

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
toluene	2.73	8.32	low
thiram (ISO)	1.73	3.39	low

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Page: 11/14 **United States**

Product code PS 890 B 2 Part B Product name PS 890 B 2 Part B Date of issue 20 November 2014 Version 2.01

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees. Section 6. Accidental release measures

14. Transport information

	DOT	IMDG	IATĄ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class (es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.
Product RQ (lbs)	4412.8	Not applicable.	Not applicable.
RQ substances	(thiram (ISO), toluene)	Not applicable.	Not applicable.

Additional information

DOT

: Package sizes shipped in quantities less than the product reportable quantity are not subject to the

RQ (reportable quantity) transportation requirements.

IMDG

: None identified.

IATA

: None identified.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in

the event of an accident or spillage.

United States Page: 12/14

Date of issue 20 November 2014 Version 2.01

Product name PS 890 B 2 Part B

Section 15. Regulatory information

United States inventory (TSCA 8b): Not determined.

Australia inventory (AICS)
Canada inventory (DSL)

: Not determined.: Not determined.

China inventory (IECSC)

: At least one component is not listed.

Europe inventory (REACH)

: Please contact your supplier for information on the inventory status of this material.

Japan inventory (ENCS)

: Not determined.

Korea inventory (KECI)

: Not determined.

New Zealand (NZIoC)

: Not determined.

Philippines inventory (PICCS)

: Not determined.

United States

SARA 302/304

SARA 304 RQ

: Not applicable.

Composition/information on ingredients

No products were found.

SARA 311/312

Classification

: Immediate (acute) health hazard

Delayed (chronic) health hazard

Composition/information on ingredients

Name	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
proprietary modified polysulfide polymer	No.	No.	No.	Yes.	No.
toluene	Yes.	No.	No.	Yes.	Yes.
titanium dioxide	No.	No.	No.	No.	Yes.
proprietary modified polysulfide polymer	No.	No.	No.	Yes.	No.
thiram (ISO)	Yes.	No.	No.	Yes.	Yes.

SARA 313

Chemical name

CAS number

Concentration

Supplier notification

: toluene

108-88-3

1 - 5

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

Additional environmental information is contained on the Environmental Data Sheet for this product, which can be obtained from your PPG representative.

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

United States Page: 13/14

Date of issue 20 November 2014 Version 2.01

Product name PS 890 B 2 Part B

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Flammability: 2 Physical hazards:

(*) - Chronic effects

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)

Flammability: 2 Instability Health 2

Date of previous issue : 10/18/2014.

Organization that prepared

: EHS the MSDS

Key to abbreviations

: ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships.

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

Indicates information that has changed from previously issued version.

Disclaimer

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.

> **United States** Page: 14/14

Page: 1 of 2 Certificate of Conformance PRC-DeSoto International, Inc. Pick Ticket 03/23/16 A PPG Industries Company 12:06:41 Order Date: 02/24/16 Pack List #: S1208712 PRC DESOTO INTL-ASC DALLAS Cust. No.: DA090713 2750 114th Street, Suite 400 net30 Terms: Grand Prairie, TX 75050 45385652 UNITED STATES Cust. P.O. Transaction Type: Phone: 817-640-1067 Shipment Terms: Fax: 817-640-1058 DS-PO#: 3723US Site: Shinvia SEE BELOW Remarks: SPEC-AVIALL/ROJEAN 972-586-1314 KNL P8890B2PT = 5NSold To: DA090713 AVIALL SERVICES, INC. P.O. BOX 619048 **AFULTS** DALLAS, TX 75261-9048 UNITED STATES 03/31/16 Reg Date Due Date Promise Date Qty to Ship Description Oty Ordered UM Line NEVER ADD FRT TO INVOICE, MUST SHIP COLLECT FEDEX GROUND COLLECT ACCT #123985630 IF 150 LBS OR MORE FEDEX FREIGHT COLLECT (ACCT# 532626056) DO NOT SHIP PARTIAL LINES! *** MSDS REQUIRED WITH EACH SHIPMENT *** MUST HAVE 75% SHELF LIFE. EDGE PROTECTORS REQUIRED PRICE IS SUBJECT TO CHANGE 03/28/16 03/28/16 03/28/16 24 EA 1750A1/2AM654SK AMS 3276 CL A 1/2 PR 1750 A 1/2 654SK BATCH: SPEC: AMS 3276 REV E CL A-1/2 DOM OF DOP 1.4 Customer Item: PR1750A1-2=5N EXP DAT Lot No: 822257-03 24 SHELF LIFE: *Location: FLM-3A Expires After: 12/16 In compliance with the chemical registration laws of UNITED STATES 03/28/16 03/28/16 0870C080BM654SKAV 72 EA 2 BMS 5-95 TY I CL C 80 BATCH: PS 870 C 80 654SK DOM OF DOF SPEC: BMS 5-95 REV T TY I CL C-80 Customer Item: PS870C80=5N 1.7 L MONT Lot No: 822228-03 *Location: FLM-4A Expires After: 09/16 DOM OF DOP Lot No: 828146-03 1-27 70 *Location: FLM-4A MONT SHELF LIFE: Expires After: 09/16 In compliance with the chemical registration laws of UNITED STAT Shipped by PPG Aerospace/PRC DeSoto International certifies that the above material has been manufactured, tested and conforms to all requirements in accordance with applicable specifications. All test data pertaining to batch acceptance requirements defined by the specification for this material is on file and available for inspection on request. For Non-US PPG Customers, we can only offer Technical Data/Test Reports for any ITAR restricted specifications with valid US export au

Certificate of Conformance

PRC-DeSoto International, Inc.

PRC DESOTO INTL-ASC DALLAS 2750 114th Street, Suite 400 Grand Prairie, TX 75050

AVIALL SERVICES, INC.

P.O. BOX 619048 DALLAS, TX 75261-9048 UNITED STATES

Remarks: SPEC-AVIALL/ROJEAN 972-586-1314 KNL

UNITED STATES Phone: 817-640-1067

Fax: 817-640-1058

Sold To: DA090713

Order Date: 02/24/16

Cust. No.: DA090713

Terms:

45385652



3723US Site:

S1208712

Transaction Type: Shipment Terms: Page: 2 of 2

03/23/16

12:06:41


DS-PO#:

Shipvia: SEE BELOW

00030970

AVIALL CENTRAL WAREHOUSE 2750 REGENT BOULEVARD DFW AIRPORT, TX 75261 UNITED STATES

Line 3	Qty Ordered 672	UM EA	Description 0890B002CA012PTAV PRC STANDARD PS 890 B 2 PT KIT	Req Date 03/28/16	03/28/16	03/28/16	Qty to Ship	Qty Picked	-
			SPEC: PRC STD POLYSULFIDE Customer Item: PS890B2PT=5N	BATCH:	822231	1,03	167	/ 1	10.16
			*Location: RACK 17 Expires After: 12/16 Lot No: 826111-03 *Location: STOCK	DOM OF DOP: EXP DATE: SHELF LIFE:	9 MO		505	5 505	31.14
			Expires After: 12/16 In compliance with the chemical r	egistration laws	01 01.112				



Shipped by